NOTE:
1-HOUR WALL RATED OCCUPANCY SEPARATION BETWEEN APPARATUS BAY AND OFFICE COMPONENT: PER IBC TABLE 508.4



1 LIFE SAFETY PLAN

NORTH

GENERAL NOTES

1 BUILDING IS FULLY SPRINKLERED.
2 BUILDING HAS AUDIBLE AND VISUAL FIRE ALARM SYSTEMS THROUGHOUT.
3 NEW INTERIOR PARTITIONS ARE FULL HEIGHT PARTITIONS (EXTENDING FROM FLOOR SLAB TO UNDERSIDE OF ROOF DECK) UNLESS OTHERWISE NOTED. ALL PENETRATIONS SHALL BE FIRESTOPPED AND PERMANENTLY IDENTIFIED WITH WORDS OR INITIALS IN THE CONCEALED SPACE. SUCH IDENTIFICATION SHALL BE LOCATED WITHIN 12" OF THE CONCEALED SPACE. ALL FIRE RATED WALLS SHALL BE MARKED AT INTERVALS NOT EXCEEDING 30' WITH THE WORDS "FIRE AND SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING. ALL FIRE RATED WALLS SHALL BE MARKED AT INTERVALS NOT EXCEEDING 30' WITH THE WORDS "FIRE AND SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING. ALL FIRE RATED WALLS SHALL BE MARKED AT INTERVALS NOT EXCEEDING 30' WITH THE WORDS "FIRE AND SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING. ALL FIRE RATED WALLS SHALL BE MARKED AT INTERVALS NOT EXCEEDING 30' WITH THE WORDS "FIRE AND SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING. ALL FIRE RATED WALLS SHALL BE MARKED AT INTERVALS NOT EXCEEDING 30' WITH THE WORDS "FIRE AND SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING.
4 THESE DRAWINGS ARE DESIGN BASED AND A CO-ORDINATED SET OF DRAWINGS. EACH TRADE SHALL REVIEW ALL ARCHITECTURAL AND ENGINEERED DRAWINGS FOR INFORMATION THAT PERTAINS TO THEIR WORK AND TRADES.
5 LIMITATION OF WORK: ARCHITECT OF RECORD IS NOT RESPONSIBLE FOR ANY DISCREPANCIES WITH CONTRACT DOCUMENTS AS SOON AS POSSIBLE.
6 CONTRACTOR TO VERIFY ALL DIMENSIONS AND CONFIRM ALL EXISTING CONDITIONS PRIOR TO COMMENCING WORK.

KEYNOTES

1 FIRE EXTINGUISHER CABINET SEE SPECIFICATIONS
2 PHASE 1 - EXISTING 1 HOUR OPERATION

LEGEND

ROOM NAME
ROOM NUMBER
OCCUPANT LOAD
FIRE RATED PARTITION
PATH OF EGRESS TO EXIT DISCHARGE
POINT AT WHICH 2 EXIT PATHS BECOME AVAILABLE
EXIT DIRECTION AND NUMBER OF OCCUPANTS
MOST REMOTE POINT FOR TRAVEL DISTANCE
FIRE EXTINGUISHER CABINET SEE LIFE SAFETY DETAILS AC2.01
PHASE 1 - NO OCCUPANCY
S-2
B OCCUPANCY
NONE

tsk
225 South Arlington Avenue, Suite A
Reno NV, 89501
phone 775.857.2948
fax 775.857.2403
www.tsk.com

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF TATE SNYDER KNUDTSEN ARCHITECTS AND MAY NOT BE REPRODUCED OR USED FOR ANY PURPOSE WITHOUT THE ARCHITECT'S WRITTEN LICENSING AS INSTRUMENTS OF SERVICE. THESE DOCUMENTS ARE NOT FINAL AND READY FOR USE AND THEREFORE NOT VALID UNLESS THEY ARE SEALED, SIGNED AND DATED.
Copyright, tsk 2022

PLEASE RECYCLE

Project
TMFR #37 - Hidden Valley Addition Phase 2
3255 West Hidden Valley Drive
Reno, NV 89502

Job No 20-044.00

Owner
Truckee Meadows Fire and Rescue

Job No: S500025157

100% CD

NO.	DATE	DESCRIPTION

Sheet Title
LIFE SAFETY PLAN

Date October 24, 2022
Sheet No
AE1.01